

CITY OF PRESCOTT PUBLIC WORKS DEPARTMENT 201 S. Cortez Street, Prescott, AZ 86303

GENERAL SUBMITTAL CHECKLIST

The following pages are provided as information for the applicant. Please read through this information as it directly applies to what the Public Works Department looks for when processing and reviewing permit applications.

CONTENTS:

• WATER AND SEWER CONNECTION ONLY – SEWER CONNECTION OUTSIDE CITY SUBMITTAL CHECKLIST

<u>CONSTRUCTION PLANS:</u> All plans should be drawn to scale, minimum 1:20

Copies of all General Engineering Standards, Manuals, City and Land Development Codes, and City Plan Review "Checklists" are available to the public on the City's website at <u>www.prescott-az.gov</u>. Hard copies of the Plan Review "Checklists" will be made available upon request.

- 1. \Box One (1) electronic copy of all submittal items in .pdf format.
- 2. \Box Floor Plan
 - a. All utility fixture locations (Include all buildings served by the same meter).
- 3. \Box Site Plan
 - a. North arrow and approvable engineering scale (1"=10' OR 1"=20' Preferred).
 - b. Architect or Engineer's, seal, signature, date and stamps expiration.
 - c. Show, label, and dimension all parcel lines, easements, and setbacks per the current recorded plat or other recorded documents. (L.D.C. 7.4.7)
 - i. A title search may be required for additional easements not shown on the recorded plat.
 - d. Location of all structures (Existing and Proposed) "grayed back" with notes regarding separate permitting. (If Applicable)
 - e. City of Prescott or Quad City General Engineering standard details (referenced, copied, or attached).
 - f. Locations of all utilities (existing and proposed) from main line connection points to structure with all required items per City of Prescott or Quad City Standard details.
- 5.
 Building Permit application number from Yavapai County or Town of Chino Valley.